

Wales, of a smell in the summer due to the low volume of water. Has an adequate assessment been carried out of the flow needed.

4. Policy SP1 – Social, Community and Cultural Sustainability

It is very important that the any dwelling constructed on this site is limited to a single storey without dormer windows which would mirror the bungalows on the opposite side of the lane.

5. Concern was also felt that only 10 days were given to respond to these amendments which were asked to be returned to the Planning Officer by the 22nd February 2018. It is difficult to see how any comments could possibly be included in her Report to be presented to the Planning Committee on the 23rd February.

PCC Highways

Consultation received 13/02/2018

The County Council as Highway Authority for the County Class III Highway, C2034

Wish the following recommendations/Observations be applied
Recommendations/Observations

Prior to any other works commencing on the development site, detailed engineering drawings for a widening along the Class III C2034 and associated works, shall be submitted to and approved in writing by the Local Planning Authority.

Prior to any works commencing on the development site, all Highway Improvements, referred to above, shall be fully completed to the written satisfaction of the Local Planning Authority and shall be retained for their designated use for as long as the development hereby permitted remains in existence.

HC1 Prior to the occupation of the dwelling any entrance gates shall be set back at least 5.5 metres distant from the edge of the adjoining carriageway and shall be constructed so as to be incapable of opening towards the highway and shall be retained in this position and form of construction for as long as the dwelling/development hereby permitted remains in existence.

HC2 The gradient of the access shall be constructed so as not to exceed 1 in 15 for the first 5.5 metres measured from edge of the adjoining carriageway along the centre line of the access and shall be retained at this gradient for as long as the development remains in existence.

HC3 The centre line of the first 5.5 metres of the access road measured from the edge of the adjoining carriageway shall be constructed at right angles to that edge of the said carriageway and be retained at that angle for as long as the development remains in existence.

HC4 Prior to the commencement of the development the access shall be constructed so that there is clear visibility from a point 1.05 metres above ground level at the centre of the

access and 2.4 metres distant from the edge of the adjoining carriageway, to points 0.6 metres above ground level at the edge of the adjoining carriageway and 43 metres distant in each direction measured from the centre of the access along the edge of the adjoining carriageway. Nothing shall be planted, erected or allowed to grow on the area(s) of land so formed that would obstruct the visibility and the visibility shall be maintained free from obstruction for as long as the development hereby permitted remains in existence.

HC7 Prior to the commencement of the development the area of the access to be used by vehicles is to be constructed to a minimum of 410mm depth, comprising a minimum of 250mm of sub-base material, 100mm of bituminous macadam base course material and 60mm of bituminous macadam binder course material for a distance of 5.5 metres from the edge of the adjoining carriageway. Any use of alternative materials is to be agreed in writing by the Local Planning Authority prior to the access being constructed.

HC8 Prior to the occupation of the dwelling, provision shall be made within the curtilage of the site for the parking of not less than one car per bedroom excluding any garage space provided together with a turning space such that all vehicles serving the site may both enter and leave the site in a forward gear. The parking and turning areas shall be retained for their designated use for as long as the development hereby permitted remains in existence.

HC11 Prior to the commencement of the development provision shall be made within the curtilage of the site for the parking of all construction vehicles together with a vehicle turning area. This parking and turning area shall be constructed to a depth of 0.4 metres in crusher run or sub-base and maintained free from obstruction at all times such that all vehicles serving the site shall park within the site and both enter and leave the site in a forward gear for the duration of the construction of the development.

HC12 The width of the access carriageway, constructed as Condition HC7 above, shall be not less than 3 metres for a minimum distance of 5.5 metres along the access measured from the adjoining edge of carriageway of the county highway and shall be maintained at this width for as long as the development remains in existence.

HC21 Prior to the occupation of the dwelling the area of the access to be used by vehicles is to be finished in a 40mm bituminous surface course for a distance of 5.5 metres from the edge of the adjoining carriageway. This area will be maintained to this standard for as long as the development remains in existence,

HC29 All surface water run-off is to be collected and discharged via a piped system located within the site. This system shall be retained and maintained for as long as the development remains in existence.

HC30 Upon formation of the visibility splays as detailed in HC4 above the centreline of any new or relocated hedge should be positioned not less than 1.0 metre to the rear of the visibility splay and retained in this position as long as the development remains in existence.

HC32 No storm water drainage from the site shall be allowed to discharge onto the county highway.

Representations

Following the erection of an amended site notice on the 25/01/2018 for the period of 21 days one public representation of objection has been received;

The letter of objection states that they wish to further object to the proposal following their initial letter submitted on the 11th of October 2017.

- M/2007/0494 granted in 2007 for the development of 4 dwellings where one plot is vacant and another is still not fully developed
- There is a further bungalow known as Holly Bush which has been empty for 4 years
- The property known as Hen Dafarn has been empty for 3 years and is now sold subject to contract
- There is a large number of vacant properties in a small village with approximately 16 dwellings and 3 farms.
- The application is to potentially to the benefit of the applicant, but it cannot be considered as a need in the hamlet of Sarnau, nor is it any way beneficial to Sarnau's current inhabitants.

RECOMMENDATION

The additional information submitted has been considered. Whilst the proposal is a departure from the development plan, the Council's current lack of housing land supply carries significant weight in favour of this development and given that the proposal would otherwise comply with development plan and national planning policies, the recommendation is one of conditional consent.

Conditions

1. Details of the access, appearance, landscaping, layout, and scale, (hereinafter called "the reserved matters") shall be submitted to and approved in writing by the local planning authority before any development begins and the development shall be carried out as approved.
2. Any application for approval of the reserved matters shall be made to the local planning authority not later than three years from the date of this permission.
3. The development shall begin either before the expiration of five years from the date of this permission or before the expiration of two years from the date of approval of the last of the reserved matters to be approved, whichever is the later.
4. The development shall be carried out in accordance with the plans stamped as approved on xxx in so far as the extent of the application site is drawn and the access point onto the C2034 highway (drawing no: RPP/TW-JOB25-03 Rev B).
5. Prior to any other works commencing on the development site, detailed engineering drawings for a widening along the Class III C2034 and associated works, shall be submitted to and approved in writing by the Local Planning Authority.

6. Prior to any works commencing on the development site, all Highway Improvements, referred to above, shall be fully completed to the written satisfaction of the Local Planning Authority and shall be retained for their designated use for as long as the development hereby permitted remains in existence.
7. Prior to the occupation of the dwelling any entrance gates shall be set back at least 5.5 metres distant from the edge of the adjoining carriageway and shall be constructed so as to be incapable of opening towards the highway and shall be retained in this position and form of construction for as long as the dwelling/development hereby permitted remains in existence.
8. The gradient of the access shall be constructed so as not to exceed 1 in 15 for the first 5.5 metres measured from edge of the adjoining carriageway along the centre line of the access and shall be retained at this gradient for as long as the development remains in existence.
9. The centre line of the first 5.5 metres of the access road measured from the edge of the adjoining carriageway shall be constructed at right angles to that edge of the said carriageway and be retained at that angle for as long as the development remains in existence.
10. Prior to the commencement of the development the access shall be constructed so that there is clear visibility from a point 1.05 metres above ground level at the centre of the access and 2.4 metres distant from the edge of the adjoining carriageway, to points 0.6 metres above ground level at the edge of the adjoining carriageway and 43 metres distant in each direction measured from the centre of the access along the edge of the adjoining carriageway. Nothing shall be planted, erected or allowed to grow on the area(s) of land so formed that would obstruct the visibility and the visibility shall be maintained free from obstruction for as long as the development hereby permitted remains in existence.
11. Prior to the commencement of the development the area of the access to be used by vehicles is to be constructed to a minimum of 410mm depth, comprising a minimum of 250mm of sub-base material, 100mm of bituminous macadam base course material and 60mm of bituminous macadam binder course material for a distance of 5.5 metres from the edge of the adjoining carriageway. Any use of alternative materials is to be agreed in writing by the Local Planning Authority prior to the access being constructed.
12. Prior to the occupation of the dwelling, provision shall be made within the curtilage of the site for the parking of not less than one car per bedroom excluding any garage space provided together with a turning space such that all vehicles serving the site may both enter and leave the site in a forward gear. The parking and turning areas shall be retained for their designated use for as long as the development hereby permitted remains in existence.
13. Prior to the commencement of the development provision shall be made within the curtilage of the site for the parking of all construction vehicles together with a vehicle turning area. This parking and turning area shall be constructed to a depth of 0.4 metres in crusher run or sub-base and maintained free from obstruction at all times such that all vehicles serving the site shall park within the site and both enter and leave the site in a forward gear for the duration of the construction of the development.

14. The width of the access carriageway, constructed as Condition HC7 above, shall be not less than 3 metres for a minimum distance of 5.5 metres along the access measured from the adjoining edge of carriageway of the county highway and shall be maintained at this width for as long as the development remains in existence.
15. Prior to the occupation of the dwelling the area of the access to be used by vehicles is to be finished in a 40mm bituminous surface course for a distance of 5.5 metres from the edge of the adjoining carriageway. This area will be maintained to this standard for as long as the development remains in existence,
16. All surface water run-off is to be collected and discharged via a piped system located within the site. This system shall be retained and maintained for as long as the development remains in existence.
17. Upon formation of the visibility splays as detailed in HC4 above the centreline of any new or relocated hedge should be positioned not less than 1.0 metre to the rear of the visibility splay and retained in this position as long as the development remains in existence.
18. No storm water drainage from the site shall be allowed to discharge onto the county highway.
19. Prior to the first installation of any external lighting a detailed lighting design scheme to take into account any impacts on nocturnal wildlife into consideration shall be submitted for written Local Planning Authority approval and implemented as approved and maintained thereafter.
20. Prior to commencement of development a Pollution Prevention Plan shall be submitted to the Local Planning Authority and implemented as approved and maintained thereafter.

Reasons

1. To enable the Local Planning Authority to exercise proper control over the development in accordance with Section 92 of the Town and Country Planning Act 1990.
2. Required to be imposed by Section 92 of the Town and Country Planning Act 1990.
3. Required to be imposed by Section 92 of the Town and Country Planning Act 1990.
4. To ensure adherence to the plans stamped as approved in the interests of clarity and a satisfactory development.
5. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
6. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.

7. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
8. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
9. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
10. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
11. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
12. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
13. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
14. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
15. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
16. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
17. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
18. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4
19. To comply with Powys County Council's UDP Policies SP3 and ENV3 in relation to The Natural Environment and to meet the requirements of Planning Policy Wales (Edition 9, November 2016), TAN 5: Nature Conservation and Planning and the Environment (Wales) Act 2016.
20. To comply with Powys County Council's UDP Policies SP3 and ENV3 in relation to The Natural Environment and to meet the requirements of Planning Policy Wales (Edition 9, November 2016), TAN 5: Nature Conservation and Planning and the Environment (Wales) Act 2016.

Informative Notes

Building Control

Building Regulations application may be required.

Wales and West Utilities

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus.

Rights of Way

The right of way must remain open and available for safe unimpeded public use at all times, both during development and following completion. It must not be obstructed by any works or structure. A suitable width for the footpath must be accommodated and not impinged upon.

Biodiversity

Birds - Wildlife and Countryside Act 1981 (as amended)

All nesting birds, their nests, eggs and young are protected by law and it is an offence to:

- intentionally kill, injure or take any wild bird
- intentionally take, damage or destroy the nest of any wild bird whilst it is in use or being built
- intentionally take or destroy the egg of any wild bird
- intentionally (or recklessly in England and Wales) disturb any wild bird listed on Schedule 1 while it is nest building, or at a nest containing eggs or young, or disturb the dependent young of such a bird.

The maximum penalty that can be imposed - in respect of a single bird, nest or egg - is a fine of up to 5,000 pounds, six months imprisonment or both.

The applicant is therefore reminded that it is an offence under the Wildlife and Countryside Act 1981 (as amended) to remove or work on any hedge, tree or building where that work involves the taking, damaging or destruction of any nest of any wild bird while the nest is in use or being built, (usually between late February and late August or late September in the case of swifts, swallows or house martins). If a nest is discovered while work is being undertaken, all work must stop and advice sought from Natural Resources Wales and the Council's Ecologist.

NRW

The applicant will need to apply for a Permit or Exemption, if they wish to discharge anything apart from uncontaminated surface water to a watercourse/ditch. They may also need to apply for a Permit from our National Permitting Team to allow certain discharges into ground. They must obtain any necessary Permit prior to works starting on site. The permitting process is a separate process to planning, and the applicants are advised the granting of planning permission does not guarantee that a permit will be granted.

